L Number	Hits	Search Text	DB	Time stamp
2	155910	sector	USPAT; US-PGPUB;	2004/07/08 14:36
1			EPO; JPO;	11.50
			DERWENT;	
3	1250216	disk or dasd or disc	IBM_TDB USPAT;	2004/07/08
			US-PGPUB;	14:36
			EPO; JPO;	
			DERWENT; IBM TDB	
4	345705	(revolving or recording) adj (medium or	USPAT;	2004/07/08
		storage)	US-PGPUB;	14:37
			EPO; JPO; DERWENT;	
			IBM_TDB	
5	11878	prefetch\$3 or pre-fetch\$3 or pre-read\$3	USPAT;	2004/07/08
		or preread\$3 or read-ahead	US-PGPUB; EPO; JPO;	14:37
			DERWENT;	
6	794	711/113.ccls.	IBM_TDB	2004/07/00
ъ	/94	/11/113.6c1s.	USPAT; US-PGPUB;	2004/07/08 14:37
			EPO; JPO;	11.57
			DERWENT;	
7	672	711/137.ccls.	IBM_TDB USPAT;	2004/07/08
•		, , , , , , , , , , , , , , , , , , , ,	US-PGPUB;	14:37
			EPO; JPO;	
			DERWENT; IBM TDB	
8	70	(USPAT;	2004/07/08
		ahead))	US-PGPUB;	14:38
			EPO; JPO; DERWENT;	
			IBM TDB	
9	78	read adj arrival	USPAT;	2004/07/08
			US-PGPUB; EPO; JPO;	14:38
			DERWENT;	
11	07121		IBM_TDB	0004/07/00
11	87131	cach\$3	USPAT; US-PGPUB;	2004/07/08 14:39
			EPO; JPO;	11.05
			DERWENT;	
12	676042	buffer	IBM_TDB USPAT;	2004/07/08
			US-PGPUB;	14:39
İ			EPO; JPO; DERWENT;	
	!		IBM TDB	
13	736	(read or reading or fetch\$3) near history	USPAT;	2004/07/08
ļ			US-PGPUB; EPO; JPO;	14:40
			DERWENT;	
1.4	120	(IBM_TDB	
14	132	<pre>(prefetch\$3 or pre-fetch\$3 or pre-read\$3 or preread\$3 or read-ahead) adj mode</pre>	USPAT; US-PGPUB;	2004/07/08 14:40
		E	EPO; JPO;	11.10
			DERWENT;	
15	1095	(prefetch\$3 or pre-fetch\$3 or pre-read\$3	IBM_TDB USPAT;	2004/07/08
		or preread\$3 or read-ahead) same ((disk	US-PGPUB;	14:40
		or dasd or disc) or ((revolving or	EPO; JPO;	
		recording) adj (medium or storage)))	DERWENT; IBM TDB	
17	15	(read adj ((lookahead) or (look adj	USPAT;	2004/07/08
		ahead))) same track	US-PGPUB;	14:53
			EPO; JPO; DERWENT;	
			IBM TDB	

Search History 7/8/04 3:43:20 PM

18	5	(read adj arrival) same track	USPAT; US-PGPUB; EPO; JPO;	2004/07/08 14:48
			DERWENT;	
16	10	or preread\$3 or read-ahead) adj mode)	IBM_TDB USPAT; US-PGPUB;	2004/07/08 14:55
		<pre>same ((disk or dasd or disc) or ((revolving or recording) adj (medium or storage)))</pre>	EPO; JPO; DERWENT; IBM_TDB	
19	137	(prefetch\$3 or pre-fetch\$3 or pre-read\$3 or preread\$3 or read-ahead) near5 sector	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/08 14:56
20	63	((prefetch\$3 or pre-fetch\$3 or pre-read\$3 or preread\$3 or read-ahead) near5 sector)	IBM_TDB USPAT; US-PGPUB;	2004/07/08 14:58
		<pre>same ((disk or dasd or disc) or ((revolving or recording) adj (medium or storage)))</pre>	EPO; JPO; DERWENT; IBM TDB	
22	99	(cach\$3 or buffer) same ((prefetch\$3 or pre-fetch\$3 or pre-read\$3 or preread\$3 or read-ahead) near5 sector)	USPAT; US-PGPUB; EPO; JPO;	2004/07/08 14:59
			DERWENT; IBM TDB	
23	2	((read or reading or fetch\$3) near	USPĀT;	2004/07/08
		history) and 711/113.ccls. and	US-PGPUB; EPO; JPO;	15:01
		711/137.ccls.	DERWENT;	
			IBM_TDB	0004/07/00
24	45263	(cach\$3 or buffer) same ((disk or dasd or disc) or ((revolving or recording) adj	USPAT; US-PGPUB;	2004/07/08 15:02
		(medium or storage)))	EPO; JPO; DERWENT; IBM TDB	
25	40	or disc) or ((revolving or recording) adj (medium or storage)))) and ((cach\$3 or buffer) same (((prefetch\$3 or pre-fetch\$3 or pre-read\$3 or preread\$3 or read-ahead)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 15:02
		near5 sector) same ((disk or dasd or disc) or ((revolving or recording) adj		
21	40	· · · · ·	USPAT;	2004/07/08
		pre-fetch\$3 or pre-read\$3 or preread\$3 or read-ahead) near5 sector) same ((disk or dasd or disc) or ((revolving or	US-PGPUB; EPO; JPO; DERWENT;	15:10
26	9	recording) adj (medium or storage)))) ((read or reading or fetch\$3) near	IBM_TDB USPAT;	2004/07/08
20		history) with (prefetch\$3 or pre-fetch\$3	US-PGPUB;	15:12
		or pre-read\$3 or preread\$3 or read-ahead)	EPO; JPO; DERWENT; IBM TDB	
27	36312	sequential\$2 near5 read\$3	USPAT; US-PGPUB;	2004/07/08 15:14
			EPO; JPO; DERWENT; IBM TDB	
28	147	(sequential\$2 near5 read\$3) and 711/113.ccls.	USPĀT; US-PGPUB;	2004/07/08 15:25
			EPO; JPO; DERWENT; IBM_TDB	
29	6434	preseek\$3 or pre-seek\$3 or prestag\$3 or	USPAT; US-PGPUB;	2004/07/08 15:27
		pre-stag\$3	EPO; JPO;	13.27
			DERWENT;	
1	I		IBM TDB	

				T 0 0 0 1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0
30	18258	(prefetch\$3 or pre-fetch\$3 or pre-read\$3	USPAT;	2004/07/08
		or preread\$3 or read-ahead) or (preseek\$3	US-PGPUB; EPO; JPO;	15:27
		or pre-seek\$3 or prestag\$3 or pre-stag\$3)	DERWENT;	
			IBM TDB	
31	93	((prefetch\$3 or pre-fetch\$3 or pre-read\$3	USPAT;	2004/07/08
31		or preread\$3 or read-ahead) or (preseek\$3	US-PGPUB;	15:28
		or pre-seek\$3 or prestag\$3 or	EPO; JPO;	
		pre-stag\$3)) near5 programmable	DERWENT;	
			IBM_TDB	
32	2		USPAT;	2004/07/08
=		pre-fetch\$3 or pre-read\$3 or preread\$3 or	US-PGPUB;	15:29
		read-ahead) or (preseek\$3 or pre-seek\$3	EPO; JPO;	
		or prestag\$3 or pre-stag\$3)) near5	DERWENT;	
		programmable)	IBM_TDB	2004/07/09
34	1414	sequential adj mode	USPAT; US-PGPUB;	2004/07/08 15:29
	İ		EPO; JPO;	13.29
			DERWENT;	
			IBM TDB	
33	4	((disk or dasd or disc) or ((revolving or	USPAT;	2004/07/08
33	1	recording) adj (medium or storage))) same	US-PGPUB;	15:30
		(((prefetch\$3 or pre-fetch\$3 or	EPO; JPO;	
		pre-read\$3 or preread\$3 or read-ahead) or	DERWENT;	
		(preseek\$3 or pre-seek\$3 or prestag\$3 or	IBM_TDB	
		pre-stag\$3)) near5 programmable)		
35	13	(sequential adj mode) same ((prefetch\$3	USPAT;	2004/07/08
		or pre-fetch\$3 or pre-read\$3 or preread\$3	US-PGPUB;	15:31
	·	or read-ahead) or (preseek\$3 or	EPO; JPO;	
		pre-seek\$3 or prestag\$3 or pre-stag\$3))	DERWENT; IBM TDB	i i
36	86	711/113.ccls. and 711/137.ccls.	USPAT;	2004/07/08
36	00	/11/113.cc1s. and /11/13/.cc1s.	US-PGPUB;	15:36
			EPO; JPO;	
1			DERWENT;	
			IBM TDB	
37	143837	read\$3 with "8"	USPAT;	2004/07/08
			US-PGPUB;	15:36
			EPO; JPO;	[
			DERWENT;	
		140 141 1141	IBM TDB	2004/07/08
38	236914	read\$3 with "4"	USPAT; US-PGPUB;	2004/07/08 15:36
			EPO; JPO;	13.36
			DERWENT;	
			IBM TDB	
39	56775	(read\$3 with "8") and (read\$3 with "4")	USPAT;	2004/07/08
			US-PGPUB;	15:37
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0004/57/55
40	2562	711/\$.ccls. and ((read\$3 with "8") and	USPAT;	2004/07/08
		(read\$3 with "4"))	US-PGPUB;	15:37
			EPO; JPO;	
			DERWENT; IBM TDB	
41	130	711/113.ccls. and ((read\$3 with "8") and	USPAT;	2004/07/08
	130	(read\$3 with "4"))	US-PGPUB;	15:37
	1	\	EPO; JPO;	
}			DERWENT;	
			IBM TDB	
42	1723	(sequential or sequence) and (711/\$.ccls.	USPĀT;	2004/07/08
		and ((read\$3 with "8") and (read\$3 with	US-PGPUB;	15:37
		"4")))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	2004/07/20
43	86		USPAT;	2004/07/08
		(711/113.ccls. and ((read\$3 with "8") and	US-PGPUB; EPO; JPO;	15:41
		(read\$3 with "4")))	DERWENT;	
			IBM TDB	
Ι.		l	1	1

44	675	beardsley and (disk or dasd or disc)	USPAT;	2004/07/08
44	5	(sequential adj mode) and 711/113.ccls.	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	15:42 2004/07/08 15:42
			DERWENT; IBM TDB	